

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1280-1177
1134P
p. 2

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
June 1966

AUG 22 1966

CURRENT SERIAL RECORDS
August 5, 1966

Inspected Poultry - A total of 882,120,000 pounds live weight (chickens, turkeys, and ducks combined) were inspected for slaughter during June 1966 under the Poultry Inspection Act carried on by the U.S.D.A. This was 15 percent more than the previous month and 12 percent more than June 1965.

The number of head and pounds (live weight) inspected by classes in June 1966 were: young chickens, 207,644,000 head, 718,870,000 pounds; mature chickens, 11,639,000 head, 54,295,000 pounds; fryer-roaster turkeys, 1,642,000 head, 14,374,000 pounds; young turkeys, 4,257,000 head, 72,319,000 pounds; old turkeys, 664,000 head, 13,179,000 pounds; and ducks, 1,424,000 head, 9,083,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in June 1966 totaled 636,344,000 pounds ready-to-cook weight of which 505,326,000 pounds were chilled and 131,018,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 514,298,000 pounds; mature chickens, 35,496,000 pounds; fryer-roaster turkeys, 11,117,000 pounds; young turkeys, 57,862,000 pounds; old turkeys, 10,473,000 pounds; ducks, 6,567,000 pounds; and other poultry, 531,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in June 1966 totaled 71,923,000 pounds ready-to-cook weight, compared with 63,495,000 pounds in June 1965. The quantity used in June 1966 consisted of 17,273,000 pounds of young chickens, 24,120,000 pounds of mature chickens, 25,731,000 pounds of turkeys, and 4,799,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in Federally inspected plants during June 1966 totaled 109,675,000 pounds ready-to-cook weight compared with 94,730,000 pounds in June 1965. The breakdown by classes for June 1966 consisted of 102,150,000 pounds of young chickens, 330,000 pounds of mature chickens, 7,134,000 pounds of turkeys, and 61,000 pounds of other poultry.

Ante-mortem condemnations amounted to 3,130,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.35 percent; mature chickens, 0.70 percent; fryer-roaster turkeys, 0.19 percent; young turkeys, 0.20 percent; old turkeys, 0.18 percent; and ducks, 0.01 percent.

Post-mortem condemnations in June 1966 amounted to 24,370,000 pounds (NYD weight). Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 3.22 percent; mature chickens, 3.95 percent; fryer-roaster turkeys, 1.48 percent; young turkeys, 1.70 percent; old turkeys, 2.60 percent; and ducks, 0.99 percent.

Poultry: Slaughtered under Federal Inspection, June 1966 with comparisons

Class	Number inspected				Pounds inspected (live weight)								Average live weight			
	May 1966		June 1966		May 1966		June 1966		May 1966		June 1966		May 1966		June 1966	
	Thou.	Thou.	Thou.	Thou.	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	Pounds	Pounds	Pounds	Pounds
Young chickens	188,974	192,552	207,644	992,288	1,076,948	655,560	718,870	3,452,435	3,742,413	3,47	3.48	3.46	3.48	3.48	3.48	3.48
Mature chickens 1/	12,343	8,577	11,639	61,401	69,987	56,187	41,874	289,771	324,620	4.55	4.88	4.66	4.72	4.72	4.64	4.64
Total chickens	201,317	201,129	219,283	1,053,689	1,146,935	711,747	773,165	3,742,206	4,067,033	3.54	3.54	3.53	3.55	3.55	3.55	3.55
Fryer-roasters	1,179	1,341	1,642	5,499	6,745	10,253	14,374	48,609	59,031	8.70	8.94	8.75	8.84	8.84	8.75	8.75
Young turkeys 2/	1,633	2,517	4,257	6,499	9,475	28,009	41,890	121,858	176,297	17.15	16.64	16.99	18.75	18.75	18.61	18.61
Old turkeys	343	752	664	1,349	1,259	6,925	14,403	26,387	25,082	20.19	19.15	19.85	19.56	19.56	19.92	19.92
Total turkeys	3,155	4,610	6,563	13,347	17,479	45,187	68,288	196,854	260,410	14.32	14.81	15.22	14.75	14.75	14.90	14.90
Ducks	1,241	1,379	1,424	4,419	4,433	8,027	8,749	28,381	28,518	6.47	6.34	6.38	6.42	6.42	6.43	6.43
Other poultry	---	---	---	---	---	286	724	1,931	2,017	---	---	---	---	---	---	---
Total poultry	---	---	---	---	---	765,247	788,837	3,969,372	4,357,978	---	---	---	---	---	---	---

1/ Of the mature chickens inspected, the number reported in thousands as heavy fowl (broiler breeding stock) was May 1966, 1,476; June 1965, 1,661; and June 1966, 1,799.

2/ Of the young turkeys inspected, the number reported in thousands as young banded breeders was: May 1966, 185; June 1965, 382; and June 1966, 557.

Pounds certified (ready-to-cook weights)

Class	May 1966				June 1966				January-June 1965				January-June 1966			
	Chilled		Frozen		Chilled		Frozen		Chilled		Frozen		Chilled		Frozen	
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	420,336	49,395	469,731	439,152	47,638	460,901	53,397	514,298	2,239,425	257,453	2,496,878	2,390,920	286,816	2,677,736	2,677,736	2,677,736
Mature chickens	28,226	8,572	36,798	19,387	8,580	27,967	9,751	35,496	134,638	58,818	193,456	158,423	55,073	213,496	213,496	213,496
Total chickens	448,562	57,967	506,529	458,539	56,218	514,757	63,148	549,794	2,374,063	316,271	2,690,334	2,549,343	341,889	2,891,232	2,891,232	2,891,232
Fryer-roasters	1,821	6,074	7,895	2,043	7,302	9,345	2,349	11,117	9,986	27,824	37,810	8,409	37,511	45,920	45,920	45,920
Young turkeys	6,280	16,030	22,310	8,682	25,147	33,829	14,345	57,862	23,426	74,319	97,745	37,310	103,102	140,412	140,412	140,412
Old turkeys	949	4,561	5,510	3,083	8,490	11,573	8,790	10,473	5,487	15,653	21,140	3,246	16,673	19,919	19,919	19,919
Total turkeys	9,050	26,665	35,715	13,808	40,939	54,747	18,377	79,452	38,899	117,796	156,695	48,965	157,286	206,251	206,251	206,251
Ducks	382	5,405	5,787	377	5,971	6,348	298	6,269	1,414	19,043	20,457	1,335	19,193	20,528	20,528	20,528
Other poultry	---	175	175	23	440	463	5	526	67	1,084	1,151	28	1,229	1,257	1,257	1,257
Total poultry	457,994	90,212	548,206	472,747	103,568	576,315	505,326	636,344	2,414,443	454,194	2,868,637	2,599,671	519,597	3,119,268	3,119,268	3,119,268

Poultry: Condemnations of poultry slaughtered under Federal Inspection, June 1966 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight): Percent 1/			Pounds (live weight): Percent 2/			Pounds (live weight): Percent 1/			Pounds (live weight): Percent 2/		
	June	1965	1966	June	1965	1966	June	1965	1966	June	1965	1966
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Mature chickens	1,794	2,551	2,551	7,885	10,082	10,082	13,827	20,759	20,759	87,196	126,671	126,671
Total chickens	189	378	378	1,321	1,725	1,725	1,164	1,919	1,919	8,508	10,863	10,863
	1,983	2,929	2,929	9,206	11,807	11,807	14,991	22,678	22,678	95,704	137,534	137,534
Fryer-roasters	13	27	27	112	104	104	134	191	191	566	789	789
Young turkeys	55	148	148	212	337	337	533	1,105	1,105	1,948	3,146	3,146
Old turkeys	16	24	24	35	55	55	278	308	308	599	642	642
Total turkeys	84	199	199	359	496	496	945	1,604	1,604	3,113	4,577	4,577
Ducks	4	1	1	8	3	3	86	81	81	316	263	263
Other poultry	1	1	1	1	1	1	4	7	7	10	18	18
Total	2,072	3,130	3,130	9,574	12,307	12,307	16,026	24,370	24,370	99,143	142,392	142,392

Poultry: Inspected for canning and other processed foods, June 1966 with comparisons 1/

Class	Pounds used ready-to-cook weight						Pounds condemned ready-to-cook weight					
	May			June			May			June		
	1966	1965	1966	1966	1965	1966	1966	1965	1966	1966	1965	1966
Young chickens	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
Further processed	15,763	14,413	17,273	69,150	88,123	88,123	48	33	66	138	248	248
Gut up	92,688	88,760	102,150	467,537	532,801	532,801	---	---	---	---	---	---
Mature chickens	24,075	26,449	24,120	151,762	156,377	156,377	18	17	46	96	97	97
Further processed	447	615	330	6,988	4,608	4,608	---	---	---	---	---	---
Cut up	---	---	---	---	---	---	---	---	---	---	---	---
Turkeys	22,578	19,060	25,731	102,968	143,788	143,788	10	27	13	51	61	61
Further processed	5,240	5,249	7,134	27,652	34,302	34,302	---	---	---	---	---	---
Cut up	---	---	---	---	---	---	---	---	---	---	---	---
Other poultry 2/	4,658	3,573	4,799	23,030	28,898	28,898	5	3	2	10	17	17
Further processed	56	106	61	345	457	457	---	---	---	---	---	---
Cut up	---	---	---	---	---	---	---	---	---	---	---	---
Total	67,074	63,495	71,923	346,910	417,186	417,186	81	80	127	295	423	423
Further processed	98,431	94,730	109,675	502,522	572,168	572,168	---	---	---	---	---	---
Cut up	---	---	---	---	---	---	---	---	---	---	---	---

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.
 2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1965 and 1966

Region and State	Number inspected	Pounds		Average live weight		Total pounds certified		Post-mortem condemnations			
		(live weight)		inspected 1/		:(Ready-to-cook wt.)		Pounds (NYD)			
		1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
		Thou.	1,000	pounds	1,000	pounds	1,000	pounds	1,000	pounds	1,000
N. Atl.	14,994	15,840	61,113	3.90	3.86	42,071	44,067	1,508	1,984	2.88	3.62
E. N. Cent.	2,826	2,563	9,753	3.53	3.81	7,370	7,185	135	125	1.51	1.43
W. N. Cent.	3,793	3,927	13,641	3.35	3.47	9,118	9,761	215	387	1.89	3.16
S. Atl.	80,636	89,197	314,618	3.52	3.52	207,311	223,830	6,223	10,070	2.44	3.57
S. Cent.	86,083	91,602	303,189	3.35	3.31	209,778	217,560	5,440	7,880	2.10	2.90
West	4,220	4,515	16,536	3.67	3.66	11,142	11,895	306	313	2.20	2.11
U. S.	192,552	207,644	718,870	3.48	3.46	486,790	514,298	13,827	20,759	2.30	3.22
Maine	5,901	6,626	23,124	3.92	3.86	17,081	18,621	584	764	2.81	3.33
N. J. 3/	62	---	276	4.46	---	156	---	4	---	1.86	---
Pa.	7,931	8,291	30,689	3.87	3.87	21,878	23,042	820	1,124	2.98	3.91
Ohio	442	121	1,638	3.70	3.66	1,174	317	38	6	2.56	1.45
Ind. 3/	1,180	---	3,788	3.21	---	2,812	---	41	---	1.20	---
Ill.-Mich. 4/	36	28	231	6.42	6.29	168	129	3	3	1.45	1.89
Wis.	1,168	1,357	4,321	3.70	3.91	3,216	3,906	53	65	1.37	1.36
Mo.	3,088	3,187	10,067	3.26	3.39	7,128	7,658	194	345	2.15	3.56
Del.	8,191	8,492	31,098	3.80	3.86	22,636	23,151	794	1,251	2.84	4.25
Ma.	10,849	12,594	39,799	3.67	3.77	28,846	33,832	1,208	1,714	3.38	4.03
Va.	4,367	4,535	13,452	3.08	3.09	9,187	9,697	402	401	3.33	3.19
N. C.	21,193	23,743	74,299	3.51	3.53	54,550	58,615	1,426	2,596	2.14	3.45
S. C.	2,367	2,411	8,205	3.47	3.43	5,940	5,834	213	373	2.89	5.04
Ga.	32,432	35,944	112,976	3.48	3.44	83,273	89,421	2,108	3,651	2.08	3.30
Ky.	2,268	1,426	7,958	3.51	3.45	5,691	3,536	74	68	1.05	1.56
Tenn.	5,452	6,214	18,511	3.39	3.40	13,575	15,134	250	572	1.51	3.02
Ala.	21,058	23,953	73,412	3.49	3.42	53,835	59,244	1,287	2,026	1.95	2.76
Miss.	14,273	14,835	48,012	3.36	3.32	35,275	35,800	877	1,157	2.03	2.62
Ark.	27,495	28,834	88,269	3.21	3.17	63,285	64,461	1,803	2,638	2.27	3.22
La.-Okla. 4/	4,410	4,850	14,940	3.39	3.37	10,928	11,922	393	459	2.93	3.13
Texas	11,127	11,490	37,702	3.39	3.33	27,189	27,463	756	960	2.24	2.80
Idaho	453	491	1,608	3.55	3.58	1,171	1,259	35	38	2.46	2.39
Wash.	871	985	3,132	3.60	3.75	2,266	2,677	29	44	1.05	1.33
Calif.	2,511	2,586	9,481	3.78	3.65	6,764	6,742	220	205	2.59	2.43

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1965 and 1966

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook-wt.)		Post-mortem condemnations	
	1965	1966	1965	1966	1965	1966	1965	1966	1965	1966
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	Percent
N. Atl.	1,173	1,510	5,928	7,268	5.05	4.81	4,741	117	183	2.20
E. N. Cent.	1,370	1,722	5,806	7,373	4.24	4.28	4,774	122	220	2.34
W. N. Cent.	2,063	2,291	9,349	10,278	4.53	4.49	6,561	296	415	3.53
S. Atl.	1,520	2,062	8,521	11,006	5.61	5.34	7,298	239	325	3.13
S. Cent.	1,364	2,357	7,476	11,169	5.48	4.74	7,556	232	462	3.47
West	1,087	1,697	4,794	7,201	4.41	4.24	4,566	158	314	3.67
U. S.	8,577	11,639	41,874	54,295	4.88	4.66	35,496	1,164	1,919	3.10
Maine	317	292	1,818	1,806	5.74	6.18	1,331	39	42	2.39
N. J.	443	950	1,892	4,018	4.27	4.23	1,163	47	113	2.80
Pa.	245	137	1,364	829	5.58	6.05	911	20	18	1.60
Ohio	409	496	1,736	2,061	4.24	4.16	1,141	40	63	2.60
Ind.	437	569	1,895	2,489	4.33	4.37	1,637	41	72	2.47
Ill. 3/	---	460	---	1,858	---	4.04	1,190	---	59	---
Wis.	58	154	284	784	4.86	5.10	526	8	19	3.05
1 Minn.	844	1,197	3,452	4,814	4.09	4.02	2,185	136	229	4.40
Mo.	717	590	3,872	3,423	5.40	5.80	2,654	90	96	2.60
1 Nebr. 3/	483	---	1,911	---	3.96	---	1,199	70	---	4.07
Del. 3/	22	---	171	---	7.78	---	---	2	---	1.79
Ma.	284	617	1,154	2,608	4.07	4.23	1,746	31	68	3.06
Va.	137	102	832	623	6.10	6.09	429	17	14	2.22
N. C.	428	497	2,799	3,435	6.55	6.91	1,942	75	102	2.98
Ga.	475	614	2,828	3,278	5.95	5.34	1,933	92	107	3.62
Ky. 3/	20	---	107	---	5.43	---	74	2	---	2.50
Tenn.	207	276	1,161	1,157	5.62	4.19	806	32	44	3.16
Ala.	32	73	245	560	7.67	7.69	401	10	26	4.23
Miss.	597	1,148	2,889	4,841	4.84	4.22	3,249	73	190	2.81
Ark.	104	171	819	1,240	7.90	7.24	853	22	44	2.96
La.-Okla. 4/	122	166	811	1,004	6.65	6.05	554	31	36	4.00
Texas	282	522	1,444	2,363	5.12	4.53	1,483	62	122	4.80
Idaho	19	18	83	81	4.44	4.41	50	3	6	3.97
Wash.	73	111	311	489	4.29	4.42	316	10	19	3.73
Calif.	882	1,450	3,969	6,159	4.50	4.25	3,889	135	272	3.80

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, June 1966

Region and State	Tuber- culosis : kosis		Septi- cemia		Airsac- culitis : vitis		Tumors		Bruises		Cadaver		Contam- ination : scald		Other		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	
N. Atl.	128	4,009	18,433	52	443	7,188	1,013	1,782	2,131	293	9,529	45,001						
E. N. Cent.	2,391	4,113	18,113	20	75	24,277	1,405	1,588	3,342	172	5,990	61,486						
W. N. Cent.	7,805	6,555	31,822	934	362	41,919	2,156	1,469	5,237	351	13,584	112,194						
S. Atl.	76	5,371	24,325	835	2,692	10,456	1,486	2,667	7,320	423	10,148	65,799						
S. Cent.	---	19,356	33,780	1,274	1,624	24,725	1,603	2,046	9,061	517	15,618	109,604						
West	---	1,435	34,883	234	528	31,963	1,918	1,470	3,102	841	11,078	87,452						
U. S.	10,400	40,839	161,356	3,349	5,724	140,528	9,581	11,022	30,193	2,597	65,947	481,536						
Maine	---	774	3,761	25	177	553	66	125	526	207	219	6,433						
N. J.	128	2,631	12,067	4	234	5,327	744	1,499	1,167	61	8,420	32,282						
Pa.	---	421	1,746	23	13	915	72	75	225	3	377	3,870						
Ohio	450	1,651	4,908	4	33	6,744	347	595	948	27	1,140	16,847						
Ind.	11	821	6,232	5	13	10,708	703	387	790	125	552	20,347						
Ill.	1,141	591	4,132	3	15	5,889	86	350	377	5	3,859	16,448						
Wis.	789	1,021	2,026	8	14	671	148	116	444	15	72	5,324						
Minn.	4,830	1,360	16,008	256	36	28,316	1,309	945	3,809	264	8,898	66,031						
Mo.	522	1,346	8,317	159	189	3,069	408	361	539	24	1,609	16,543						
Md.	76	2,175	5,244	500	718	754	502	1,443	2,395	188	756	14,751						
Va.	---	530	1,720	3	179	283	31	49	142	6	2	2,945						
N. C.	---	1,220	8,349	246	948	2,668	278	493	1,598	69	2,276	18,145						
Ga.	---	923	7,050	80	738	4,851	438	581	2,226	114	4,467	21,468						
Tenn.	---	324	6,021	200	323	2,903	163	292	1,468	32	985	12,711						
Ala.	---	129	1,284	14	48	211	12	33	1,013	29	978	3,751						
Miss.	---	991	13,449	443	601	20,747	829	1,061	3,883	227	6,117	48,348						
Ark.	---	297	3,283	419	497	179	61	71	552	19	5,997	5,997						
La.-Okla. 1/	---	841	2,952	30	67	236	120	112	476	79	799	5,712						
Texas	---	16,774	6,681	166	87	447	417	477	1,666	131	6,119	32,965						
Idaho	---	42	393	---	---	355	42	23	89	---	---	944						
Wash.	---	292	2,418	3	18	641	62	47	185	5	1,356	5,027						
Calif.	---	856	29,678	95	510	30,768	1,270	1,256	2,556	814	8,758	76,561						

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, June 1965 and 1966

Region and State	Number inspected	Pounds inspected	Average live weight inspected 1/	Total pounds certified (Ready-to-cook wt.)	Post-mortem condemnations			
					1965	1966	1965	1966
	1965	1966	1965	1966	1965	1966	Percent	Percent
	Thou.	Thou.	pounds	pounds	pounds	pounds		
N. Atl.	52	46	1,008	675	19.38	14.67	832	536
E. N. Cent.	164	260	2,595	4,419	15.82	17.00	2,059	3,537
W. N. Cent.	637	1,167	9,791	17,756	15.37	15.22	7,981	14,323
S. Atl.	418	540	6,692	9,480	16.01	17.56	5,290	7,475
S. Cent.	380	899	6,143	14,959	16.17	16.64	4,964	11,864
West	866	1,345	15,661	25,030	18.08	18.61	12,703	20,127
U. S.	2,517	4,257	41,890	72,319	16.64	16.99	33,829	57,862
							533	1,105
							1.42	1.70
Pa.	20	40	237	558	11.71	14.09	189	449
Ohio	40	57	566	860	14.11	15.05	454	661
Ind. 3/	2	---	29	---	14.64	---	24	---
Ill.-Mich. 3/ 4/	---	9	---	176	---	19.56	---	141
Wis.	116	149	1,884	2,605	16.23	17.54	1,488	2,099
Mo Minn.	289	518	4,411	7,650	15.27	14.77	3,616	6,167
Iowa	145	335	2,211	5,417	15.25	16.19	1,801	4,341
Mo.	122	284	1,811	4,199	14.84	14.79	1,466	3,423
Va.	159	186	2,749	3,477	17.29	18.74	2,145	2,687
N. C.	213	311	3,410	5,447	16.04	17.51	2,729	4,353
Ark. 3/	---	182	---	2,745	---	15.05	---	2,211
Texas	239	561	4,262	9,828	17.83	17.53	3,450	7,741
Colo.	195	201	2,902	3,095	14.89	15.41	2,459	2,609
Utah	43	83	756	1,535	17.57	18.49	605	1,226
Calif.	617	1,042	11,846	20,104	19.19	19.29	9,525	16,065
							181	366
							1.71	2.03

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, June 1966

Region and State	Tuber- culosis	Leu- kosis	Septi- cemia	Airsac- culitis	Synovitis	Tumors	Bruises	Cadaver	Contam- ination	Over- scald	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	6	53	32	---	1	3	7	14	---	18	134
E. N. Cent.	---	16	2,187	620	83	8	42	379	233	18	39	3,625
W. N. Cent.	---	40	6,242	1,867	381	36	299	769	1,042	207	181	11,064
S. Atl.	---	21	4,564	1,822	1,397	13	105	221	512	6	110	8,771
S. Cent.	---	161	5,263	4,274	1,052	147	270	469	985	31	2,648	15,300
West	---	18	11,353	3,978	3,790	180	220	299	729	80	207	20,854
U. S.	---	262	29,662	12,593	6,703	385	939	2,144	3,515	342	3,203	59,748
Pa.	---	6	39	10	---	---	2	5	11	---	9	82
Ohio	---	4	151	31	6	---	3	73	58	15	31	372
Ill.-Mich. 1/	---	---	36	11	1	---	2	5	16	---	2	73
Wis.	---	12	1,850	321	75	8	37	273	138	3	6	2,723
Minn.	---	2	2,429	740	43	4	116	533	736	36	72	4,711
Iowa	---	32	1,355	568	62	30	63	38	147	15	76	2,386
Mo.	---	6	2,311	333	273	---	117	171	148	136	29	3,524
Va.	---	14	1,744	688	131	---	62	58	43	---	2	2,745
N. C.	---	2	2,630	704	1,253	3	38	136	445	6	81	5,305
Ark.	---	12	1,161	567	256	3	23	143	220	16	84	2,485
Texas	---	145	3,326	3,469	757	141	242	214	685	1	2,535	11,515
Colo.	---	---	632	299	39	2	58	26	110	3	1	1,170
Utah	---	---	614	69	71	5	48	19	44	3	---	873
Calif.	---	18	10,067	3,595	3,680	173	94	247	556	74	206	18,710

1/ Combined to avoid disclosure of individual operations.

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, June 1965 and 1966

Region and State	Number inspected	Pounds (live weight)		Average live weight inspected lb.		Total pounds certified		Post-mortem condemnations			
		1965	1966	1965	1966	1965	1966	1965	1966	Percent	Percent
N. Atl. 3/	Thou.	1,000	1,000	Pounds	Pounds	1,000	1,000	1,000	1,000		
E. N. Cent.	14	8	68	8.63	8.54	87	51	2	1.18		
W. N. Cent.	199	220	1,992	9.18	9.05	1,442	1,549	14	21	.85	1.17
S. Atl.	542	623	4,913	9.06	8.92	3,942	4,390	45	80	1.02	1.60
S. Cent. 3/	387	512	3,367	8.70	8.65	2,510	3,328	47	60	1.55	1.51
West	10	27	91	9.10	8.44	69	177	---	3	---	1.46
	189	252	1,679	8.88	8.33	1,295	1,622	26	27	1.72	1.43
U. S.	1,341	1,642	11,995	8.94	8.75	9,345	11,117	134	191	1.24	1.48
Ohio	48	28	426	8.94	9.30	328	204	3	2	.93	1.04
Wis.	151	192	1,401	9.30	9.02	1,114	1,345	11	19	.84	1.16
Minn.	479	575	4,379	9.14	9.16	3,516	4,160	41	80	1.04	1.69
Va.	360	477	3,122	8.67	8.64	2,322	3,088	42	58	1.51	1.57
Calif.	169	222	1,449	8.59	8.36	1,111	1,430	23	26	1.77	1.56

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, June 1966

Region and State	Tuber- culosis		Leu- kosis		Septi- cemia		Airsac- culitis		Synovitis		Tumors		Bruises		Cadaver		Contam- ination		Over- scald		Other		Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	34	---	---	---	---	---	---	---	---	---	---	---	---	---	6	---	---	---	---	1	---	41
E. N. Cent.	---	---	4	1,270	274	53	274	---	---	---	---	---	33	187	---	---	206	7	---	5	---	138	2,039	
W. N. Cent.	---	---	4	3,627	926	97	926	3	---	---	---	196	380	---	---	1,789	693	---	---	---	---	7,853		
S. Atl.	---	---	9	3,840	1,484	77	1,484	---	---	---	---	77	215	---	---	318	24	---	---	---	---	18	6,062	
S. Cent.	---	---	---	134	14	---	---	---	---	---	---	17	13	---	---	63	4	---	---	---	---	52	297	
West	---	---	1	2,080	209	247	209	---	---	---	---	70	111	---	---	333	76	---	---	---	---	26	3,153	
U. S.	---	---	18	10,985	2,907	474	2,907	3	---	---	---	393	906	---	---	2,715	804	---	---	---	---	240	19,445	
Ohio	---	---	---	183	3	1	---	---	---	---	---	---	2	12	---	---	95	---	---	5	---	---	301	
Wis.	---	---	4	1,087	271	52	271	---	---	---	---	31	175	---	---	111	7	---	---	---	---	---	1,738	
Minn.	---	---	4	3,614	922	97	922	3	---	---	---	193	375	---	---	1,783	692	---	---	---	---	133	7,816	
Va.	---	---	5	3,703	1,438	72	1,438	---	---	---	---	75	205	---	---	286	24	---	---	---	---	6	5,814	
Calif.	---	---	1	2,006	205	247	205	---	---	---	---	66	110	---	---	320	76	---	---	---	---	16	3,047	

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

* * * *

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Consumer and Marketing Service.